

**VENICE**  
**DOWNLIGHTS**  
3", 4", 6" Euro Collection



**[ FEATURES ]**

The Venice is a high-performance recessed downlight offering reduced glare and high visual comfort. Available in 3", 4" and 6" round or square trim, fixed or adjustable, the Venice is one of the most flexible downlights in the market. Its modular design with a variety of light engines and optics allows for suitable use in countless applications. This downlight is designed for easy installation, removal, and maintenance from below the ceiling to reduce capital and operating costs. The Venice is ideal for ambient or accent lighting in commercial, retail, hospitality, and residential settings.


**[ LUMINAIRE INFORMATION ]**

RECESSED

Product Detail




Lumens/Watts (3000K)	<b>1100lm/15W<sup>1</sup> - 3 Inch (Standard)</b> <b>2000lm/25W<sup>2</sup> - 4 Inch (Standard)</b> 1700lm/20W <sup>2</sup> - 4 Inch 2400lm/28W <sup>3</sup> - 6 Inch 2800lm/34W <sup>3</sup> - 6 Inch
Input Voltage	120-277V
Efficacy	Up to 90lm/W
CRI	>90Ra
Beam Angle	<b>55° (Standard)</b> , 24°, 38°
CCT	3000K, 3500K, 4000K
Dimming	<b>0-10V (20W-34W Standard), Phase Dimming 10-100% (15W Standard), Dual (Consult Factory)</b>
Trim Colour	<b>White (Standard)</b> , Black, Silver
Ingress Protection	IP20 Dry Location, Wet Location Option <sup>1</sup> (3in)
Warranty	5 yrs
Certification	




**[ DIMENSIONS ]**

Collection / Model	D / W	H	Cutout Size D / W
EURO3 / 3 Inch* Venice Round VEN3 (R)	Ø85mm (3.35")	113mm (4.45")	Ø75mm (2.95")
EURO3 / 3 Inch* Venice Square VEN3 (Sq)	85x85mm (3.35"x3.35")	112mm (4.41")	75x75mm (2.95"x2.95")
EURO3 / 3 Inch* Venice Wall Wash Round VEN3-WW (R)	Ø88mm (3.46")	100mm (3.94")	Ø75mm (2.95")
EURO3 / 3 Inch* Venice Wall Wash Square VEN3-WW (Sq)	88x88mm (3.46"x3.46")	100mm (3.94")	75x75mm (2.95"x2.95")
EURO4 / 4 Inch* Venice Round VEN4 (R)	Ø115mm (4.53")	141mm (5.55")	Ø100mm (3.94")
EURO4 / 4 Inch* Venice Square VEN4 (Sq)	112x112mm (4.41"x4.41")	136mm (5.35")	100x100mm (3.94"x3.94")
EURO6 / 6 Inch* Venice Round VEN6 (R)	Ø140mm (5.51")	175mm (6.89")	Ø125mm (4.92")
EURO6 / 6 Inch* Venice Square VEN6 (Sq)	140x140mm (5.51"x5.51")	169.5mm (6.67")	125x125mm (4.92"x4.92")



**[ DRIVER ENCLOSURE ]**



**[ REFLECTOR - TILT ]**



Round Reflector  
Tilt: Fixed 0°



Round Reflector  
Tilt: Adjustable 0° - 30°



Square Reflector  
Tilt: Adjustable 0° - 30°

[TRIM]



[ORDER CODE]

MODULE					DRIVER	
COLLECTION	BEAM ANGLE	CCT	CRI	LUMENS	DIMMING	VOLTAGE
EURO3 - VEN3 EURO4 - VEN4 EURO6 - VEN6	55D - 55° (Standard) 24D - 24° 38D - 38°	30K - 3000K 35K - 3500K 40K - 4000K Consult factory for other CCT	90 - 90CRI	11 - 1100lm <sup>1</sup> (EURO3 Standard) (EURO4) 20 - 2000lm <sup>2</sup> (EURO4 Standard) 17 - 1700lm <sup>2</sup> (EURO4) 24 - 2400lm <sup>3</sup> (EURO6) 28 - 2800lm <sup>3</sup> (EURO6)	V - 0-10V DIMMING (20W-34W) T - PHASE DIMMING (15W ONLY) X - DUAL 0-10V & PHASE DIMMING (Consult Factory)	UNV - 120-277V




\* Nominal size

1. Available for 3" models only
2. Available for 4" models only
3. Available for 6" models only
4. Not available for square trim
5. Not available for wall wash
6. Not available for 6" models
7. Not applicable to wall wash
8. Not available for trimless or wall wash




TRIM					OPTIONS			
MODEL	TILT	TRIM	REFLECTOR	TRIM FINISH	# OF HEADS	IP	MEDIA FILTER	NEW CONSTRUCTION PLATFORM
VEN3 - VENICE 3 INCH* VEN4 - VENICE 4 INCH* VEN6 - VENICE 6 INCH*	F - FIXED <sup>1,4</sup> AD - ADJUSTABLE WW - WALL WASH <sup>1</sup>	R - ROUND SQ - SQUARE RT - ROUND TRIMLESS <sup>5</sup> SQT - SQUARE TRIMLESS <sup>1,5,6</sup>	CS - CLEAR SPECULAR <sup>7</sup> (Standard) BC - BLACK CHROME <sup>7</sup> (Anti-glare) (BLANK) - WALL WASH	WH - WHITE (Standard) BK - BLACK <sup>8</sup> SV - SILVER <sup>8</sup>	1 - 1 HEAD	WL03 - WET <sup>1</sup> LOCATION (VEN3) (Consult Factory)	HC - HONEYCOMB SL - SOFT LENS	(BLANK) - NONE NCR1 - ADJUSTABLE 2" - 6" ROUND NCS1 - ADJUSTABLE 2" - 6" SQUARE

**[ ORDER CODE CHART ]**


**ROUND TRIM**

COLLECTION	BEAM ANGLE	CCT	CRI	LUMENS/ WATTS	DIMMING	VOLTAGE	TRIM MODEL	TILT	TRIM	REFLECTOR	FINISH	# OF HEADS
 EURO3	55° (Standard), 24°, 38°	3000K, 3500K, 4000K	>90Ra	1100 lm/15W	10-100%	120-277V	VEN3	FIXED, ADJUSTABLE	ROUND, ROUND TRIMLESS	CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare)	WHITE (Standard), BLACK, SILVER	1
 EURO4	55° (Standard), 24°, 38°	3000K, 3500K, 4000K	>90Ra	2000 lm/25W (Standard), 1700 lm/20W	0-10V (Standard), DUAL 0-10V & PHASE DIMMING (Consult Factory)	120-277V	VEN4	ADJUSTABLE	ROUND, ROUND TRIMLESS	CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare)	WHITE (Standard), BLACK, SILVER	1
 EURO6	55°, 24°, 38°	3000K, 3500K, 4000K	>90Ra	2400 lm/ 28W, 2800 lm/34W	0-10V, DUAL 0-10V & PHASE DIMMING (Consult Factory)	120-277V	VEN6	ADJUSTABLE	ROUND, ROUND TRIMLESS	CLEAR SPECULAR, BLACK CHROME (Anti-glare)	WHITE, BLACK, SILVER	1

**SQUARE TRIM**

COLLECTION	BEAM ANGLE	CCT	CRI	LUMENS/ WATTS	DIMMING	VOLTAGE	TRIM MODEL	TILT	TRIM	REFLECTOR	FINISH	# OF HEADS
 EURO3	55° (Standard), 24°, 38°	3000K, 3500K, 4000K	>90Ra	1100 lm/15W	10-100%	120-277V	VEN3	ADJUSTABLE	SQUARE, SQUARE TRIMLESS	CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare)	WHITE (Standard), BLACK, SILVER	1
 EURO4	55° (Standard), 24°, 38°	3000K, 3500K, 4000K	>90Ra	2000 lm/25W (Standard), 1700 lm/20W	0-10V (Standard), DUAL 0-10V & PHASE DIMMING (Consult Factory)	120-277V	VEN4	ADJUSTABLE	SQUARE	CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare)	WHITE (Standard), BLACK, SILVER	1
 EURO6	55°, 24°, 38°	3000K, 3500K, 4000K	>90Ra	2400 lm/ 28W, 2800 lm/34W	0-10V, DUAL 0-10V & PHASE DIMMING (Consult Factory)	120-277V	VEN6	ADJUSTABLE	SQUARE	CLEAR SPECULAR, BLACK CHROME (Anti-glare)	WHITE, BLACK, SILVER	1

**WALL WASH**

COLLECTION	BEAM ANGLE	CCT	CRI	LUMENS/ WATTS	DIMMING	VOLTAGE	TRIM MODEL	TILT	TRIM	REFLECTOR	FINISH	# OF HEADS
 EURO3	55° (Standard), 24°, 38°	3000K, 3500K, 4000K	>90Ra	1100 lm/15W	10-100%	120-277V	VEN3	WALL WASH	ROUND, SQUARE	NA	WHITE	1