

VENICE
DOWNLIGHTS
3", 4", 6" Euro Collection



[FEATURES]

The Venice is a high-performance recessed downlight offering reduced glare and high visual comfort. Available in 3", 4" and 6" round or square trim, fixed or adjustable, the Venice is one of the most flexible downlights in the market. Its modular design with a variety of light engines and optics allows for suitable use in countless applications. This downlight is designed for easy installation, removal, and maintenance from below the ceiling to reduce capital and operating costs. The Venice is ideal for ambient or accent lighting in commercial, retail, hospitality, and residential settings.


[LUMINAIRE INFORMATION]

RECESSED 

Product Detail




| | |
|----------------------|--|
| Lumens/Watts (3000K) | 1000lm/15W¹ - 3 Inch (Standard) 1900lm/25W² - 4 Inch (Standard) 1600lm/20W ² - 4 Inch 2200lm/28W ³ - 6 Inch 2700lm/34W ³ - 6 Inch |
| Input Voltage | 120-277V |
| Efficacy | Up to 90lm/W |
| CRI | >90Ra |
| Beam Angle | 55° (Standard) , 24°, 38° |
| CCT | 3000K, 3500K, 4000K |
| Dimming | 0-10V (20W-34W Standard), Phase Dimming 10-100% (15W Standard), Dual (Consult Factory) |
| Trim Colour | White (Standard) , Black, Silver |
| Ingress Protection | IP20 Dry Location, Wet Location Option ¹ (3in) |
| Warranty | 5 yrs |
| Certification |  |




[DIMENSIONS]

| Collection / Model | D / W | H | Cutout Size D / W |
|---|-------------------------|-----------------|-------------------------|
| EURO3 / 3 Inch* Venice Round VEN3 (R) | Ø85mm (3.35") | 113mm (4.45") | Ø75mm (2.95") |
| EURO3 / 3 Inch* Venice Square VEN3 (Sq) | 85x85mm (3.35"x3.35") | 112mm (4.41") | 75x75mm (2.95"x2.95") |
| EURO3 / 3 Inch* Venice Wall Wash Round VEN3-WW (R) | Ø88mm (3.46") | 100mm (3.94") | Ø75mm (2.95") |
| EURO3 / 3 Inch* Venice Wall Wash Square VEN3-WW (Sq) | 88x88mm (3.46"x3.46") | 100mm (3.94") | 75x75mm (2.95"x2.95") |
| EURO4 / 4 Inch* Venice Round VEN4 (R) | Ø115mm (4.53") | 141mm (5.55") | Ø100mm (3.94") |
| EURO4 / 4 Inch* Venice Square VEN4 (Sq) | 112x112mm (4.41"x4.41") | 136mm (5.35") | 100x100mm (3.94"x3.94") |
| EURO6 / 6 Inch* Venice Round VEN6 (R) | Ø140mm (5.51") | 175mm (6.89") | Ø125mm (4.92") |
| EURO6 / 6 Inch* Venice Square VEN6 (Sq) | 140x140mm (5.51"x5.51") | 169.5mm (6.67") | 125x125mm (4.92"x4.92") |



[DRIVER ENCLOSURE]



[REFLECTOR - TILT]



Round Reflector
Tilt: Fixed 0°



Round Reflector
Tilt: Adjustable 0° - 30°



Square Reflector
Tilt: Adjustable 0° - 30°

[TRIM]






[ORDER CODE]




| MODULE | | | | | DRIVER | | | |
|---|--|--|---|--|---|---|---|---|
| COLLECTION | BEAM ANGLE | CCT | CRI | LUMENS | DIMMING | VOLTAGE | | |
| EURO3 - VEN3 EURO4 - VEN4 EURO6 - VEN6 | 55D - 55° (Standard) 24D - 24° 38D - 38° | 30K - 3000K 35K - 3500K 40K - 4000K Consult factory for other CCT | 90 - 90CRI | 10 - 1000lm ¹ (EURO3 Standard) 19 - 1900lm ² (EURO4 Standard) 16 - 1600lm ² (EURO4) 22 - 2200lm ³ (EURO6) 27 - 2700lm ³ (EURO6) | V - 0-10V DIMMING (20W-34W) T - PHASE DIMMING (15W ONLY) X - DUAL 0-10V & PHASE DIMMING (Consult Factory) | UNV - 120-277V | * Nominal size 1. Available for 3" models only 2. Available for 4" models only 3. Available for 6" models only 4. Not available for square trim 5. Not available for wall wash 6. Not available for 6" models 7. Not applicable to wall wash 8. Not available for trimless or wall wash | |
| TRIM | | | | | | OPTIONS | | |
| MODEL | TILT | TRIM | REFLECTOR | TRIM FINISH | # OF HEADS | IP | MEDIA FILTER | OPTION |
| VEN3 - VENICE 3 INCH* VEN4 - VENICE 4 INCH* VEN6 - VENICE 6 INCH* | F - FIXED ^{1,4} AD - ADJUSTABLE WW - WALL WASH ¹ | R - ROUND SQ - SQUARE RT - ROUND TRIMLESS ⁵ SQT - SQUARE TRIMLESS ^{1,5,6} | CS - CLEAR SPECULAR ⁷ (Standard) BC - BLACK CHROME ⁷ (Anti-glare) (BLANK) - WALL WASH | WH - WHITE (Standard) BK - BLACK ⁸ SV - SILVER ⁸ | 1 - 1 HEAD | WL03 - WET ¹ LOCATION (VEN3) (Consult Factory) | HC - HONEYCOMB SL - SOFT LENS | (BLANK) - NONE NCR1 - NEW CONSTRUCTION ROUND PLATFORM NCS1 - NEW CONSTRUCTION SQUARE PLATFORM |

[ORDER CODE CHART]


ROUND TRIM

| COLLECTION | BEAM ANGLE | CCT | CRI | LUMENS/WATTS | DIMMING | VOLTAGE | TRIM MODEL | TILT | TRIM | REFLECTOR | FINISH | # OF HEADS |
|---|--------------------------|---------------------|-------|-------------------------------------|--|----------|------------|-------------------|-----------------------|--|---------------------------------|------------|
|  EURO3 | 55° (Standard), 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 1000 lm/15W | 10-100% | 120-277V | VEN3 | FIXED, ADJUSTABLE | ROUND, ROUND TRIMLESS | CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare) | WHITE (Standard), BLACK, SILVER | 1 |
|  EURO4 | 55° (Standard), 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 1900 lm/25W (Standard), 1600 lm/20W | 0-10V (Standard), DUAL 0-10V & PHASE DIMMING (Consult Factory) | 120-277V | VEN4 | ADJUSTABLE | ROUND, ROUND TRIMLESS | CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare) | WHITE (Standard), BLACK, SILVER | 1 |
|  EURO6 | 55°, 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 2200 lm/ 28W, 2700 lm/34W | 0-10V, DUAL 0-10V & PHASE DIMMING (Consult Factory) | 120-277V | VEN6 | ADJUSTABLE | ROUND, ROUND TRIMLESS | CLEAR SPECULAR, BLACK CHROME (Anti-glare) | WHITE, BLACK, SILVER | 1 |

SQUARE TRIM

| COLLECTION | BEAM ANGLE | CCT | CRI | LUMENS/WATTS | DIMMING | VOLTAGE | TRIM MODEL | TILT | TRIM | REFLECTOR | FINISH | # OF HEADS |
|---|--------------------------|---------------------|-------|-------------------------------------|--|----------|------------|------------|-------------------------|--|---------------------------------|------------|
|  EURO3 | 55° (Standard), 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 1000 lm/15W | 10-100% | 120-277V | VEN3 | ADJUSTABLE | SQUARE, SQUARE TRIMLESS | CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare) | WHITE (Standard), BLACK, SILVER | 1 |
|  EURO4 | 55° (Standard), 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 1900 lm/25W (Standard), 1600 lm/20W | 0-10V (Standard), DUAL 0-10V & PHASE DIMMING (Consult Factory) | 120-277V | VEN4 | ADJUSTABLE | SQUARE | CLEAR SPECULAR (Standard), BLACK CHROME (Anti-glare) | WHITE (Standard), BLACK, SILVER | 1 |
|  EURO6 | 55°, 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 2200 lm/ 28W, 2700 lm/34W | 0-10V, DUAL 0-10V & PHASE DIMMING (Consult Factory) | 120-277V | VEN6 | ADJUSTABLE | SQUARE | CLEAR SPECULAR, BLACK CHROME (Anti-glare) | WHITE, BLACK, SILVER | 1 |

WALL WASH

| COLLECTION | BEAM ANGLE | CCT | CRI | LUMENS/WATTS | DIMMING | VOLTAGE | TRIM MODEL | TILT | TRIM | REFLECTOR | FINISH | # OF HEADS |
|---|--------------------------|---------------------|-------|--------------|---------|----------|------------|-----------|---------------|-----------|--------|------------|
|  EURO3 | 55° (Standard), 24°, 38° | 3000K, 3500K, 4000K | >90Ra | 1000 lm/15W | 10-100% | 120-277V | VEN3 | WALL WASH | ROUND, SQUARE | NA | WHITE | 1 |

